CONTENTS OF VOLUME 50

No. 1 (pp 1–144) published July 1998
No. 2 (pp 145–290) published August 1998
No. 3 (pp 291–402) published September 1998
No. 4 (pp 403–510) published October 1998
No. 5 (pp 511–632) published November 1998
No. 6 (pp 633–718) published December 1998

Basnakova G, Stephens ER, Thaller MC, Rossolini GM, Macaskie LE: The use of *Escherichia coli* bearing a *phoN* gene for the removal of uranium and nickel from aqueous flows 266

Beaudet R, Lévesque M-J, Villemur R, Lanthier M, Chénier M, Lépine F, Bisaillon J-G: Anaerobic biodegradation of pentachlorophenol in a contaminated soil inoculated with a methanogenic consortium or with *Desulfitobacterium frappieri* strain PCP-1 135

Becker A, Katzen F, Pühler A, Ielpi L: Xanthan gum biosynthesis and application: a biochemical/genetic perspective 145

Biebl H, Zeng AP, Menzel K, Deckwer W-D: Fermentation of glycerol to 1,3-propanediol and 2,3-butanediol by *Klebsiella pneumoniae* 24

Blanco A, Díaz P, Martínez J, Vidal T, Torres AL, Pastor FIJ: Cloning of a new endoglucanase gene from *Bacillus* sp. BP-23 and characterisation of the enzyme. Performance in paper manufacture from cereal straw 48

Bormann EJ, Leißner M, Roth M, Beer B, Metzner K: Production of polyhydroxybutyrate by *Ralstonia eutropha* from protein hydrolysates (Short contribution) 604

Bosma T, Janssen DB: Conversion of chlorinated propanes by *Methylosinus trichosporium* OB3b expressing soluble methane monooxygenase 105

Bousquet M-P, Willemot R-M, Monsan P, Boures E: Enzymatic synthesis of alkyl-α-glucoside catalysed by a thermostable α-transglucosidase in solvent-free organic medium 167

Brakemeier A, Wullbrandt D, Lang S: *Candida bombicola*: production of novel alkyl-glycosides based on glucose/2-dodecanol 161

Brdjanovic D, van Loosdrecht MCM, Hooijmans CM, Mino T, Alaerts GJ, Heijnen JJ: Effect of polyphosphate limitation on the anaerobic metabolism of phosphorus-accumulating microorganisms 273

Cameotra SS, Makkar RS: Synthesis of biosurfactants in extreme conditions 520

Canyuk B, Craig III SP, Eakin AE: Bacterial complementation as a means to test enzyme—ligand interactions 181

Corsetti A, Gobbetti M, Rossi J, Damiani P: Antimould activity of sourdough lactic acid bacteria: identification of a mixture of organic acids produced by *Lactobacillus sanfrancisco* CB1 253

Donaghy J, Kelly PF, McKay AM: Detection of ferulic acid esterase production by *Bacillus* spp. and lactobacilli (Short contribution) 257

Dubey AK, Suresh C, Umesh Kumar S, Karanth NG: An enzyme-linked immunosorbent assay for the estimation of fungal biomass during solid-state fermentation 299

Dynesen J, Smits HP, Olsson L, Nielsen J: Carbon catabolite repression of invertase during batch cultivations of *Saccharomyces cerevisiae*: the role of glucose, fructose, and mannose 579

Elasri MO, Miller RV: A *Pseudomonas aeruginosa* biosensor responds to exposure to ultraviolet radiation 455

Eriksson M, Swartling A, Dalhammar G, Fäldt J, Borg-Karlson A-K: Biological degradation of diesel fuel in water and soil monitored with solid-phase micro-extraction and GC-MS 129

Eriksson M, Swartling A, Dalhammer G, Fäldt J, Borg-Karlson A-K: Biological degradation of diesel fuel in water and soil monitored with solid-phase micro-extraction and GC-MS 288

Fabritius D, Schäfer H-J, Steinbüchel A: Bioconversion of sunflower oil, rapeseed oil and ricinoleic acid by *Candida tropicalis* M25 573

Fava F, Di Gioia D: Effects of Triton X-100 and Quillaya Saponin on the ex situ bioremediation of a chronically polychlorobiphenyl-contaminated soil 623

Fernández Sevilla JM, Molina Grima E, García Camacho F, Acíen Férnandez FG, Sánchez Pérez JA: Photolimitation and photoinhibition as factors determining optimal dilution rate to produce eicosapentaenoic acid from cultures of the microlaga *Isochrysis galbana* 199

Fetzner S: Bacterial dehalogenation 633

Förster C, Marienfeld S, Wendisch VF, Krämer R: Adaptation of the filamentous fungus *Ashbya gossypii* to hyperosmotic stress: different osmoresponse to NaCl and mannitol stress 219

Franck-Mokroß AC, Schmidt E: Simultaneous degradation of chloro- and methyl-substituted aromatic compounds: competition between *Pseudomonas* strains using the *ortho* and *meta* pathway or the *ortho* pathway exclusively 233

Furusawa Y, Quintern LE, Holtschmidt H, Koepke P, Saito M: Determination of erythema-effective solar radiation in Japan and Germany with a spore monolayer film optimized for the detection of UVB and UVA – results of a field campaign 597

Gallert C, Bauer S, Winter J: Effect of ammonia on the anaerobic degradation of protein by a mesophilic and thermophilic biowaste population 495

García BL, Ball AS, Rodríguez J, Pérez-Leblic MI, Arias ME, Copa-Patiño JL: Production and characterization of ferulic acid esterase activity in crude extracts by *Streptomyces avermitilis* CECT 3339 213

Geel-Schutten GH van, Flesch F, ten Brink B, Smith MR, Dijkhuizen L: Screening and characterization of *Lactobacillus* strains producing large amounts of exopolysaccharides 697

Gilbert ES, Crowley DE: Repeated application of carvone-induced bacteria to enhance biodegradation of polychlorinated biphenyls in soil 489

Gübitz GM, Stebbing DW, Johansson CI, Saddler JN: Lignin-hemicellulose complexes restrict enzymatic solubilization of mannan and xylan from dissolving pulp 390

Guynot ME, Toribio A, Quevedo M, Muxí L: Microflora of dissimilative nitrate reduction in a denitrifying reactor 396

Hansel A, Lindblad P: Towards optimization of cyanobacteria as biotechnologically relevant producers of molecular hydrogen, a clean and renewable energy source 153

Hayakawa K, Ueno Y, Kawamura S, Kato T, Hayashi R: Microorganism inactivation using high-pressure generation in sealed vessels under sub-zero temperature 415

Ikeda M, Okamoto K, Katsumata R: A transketolase mutant of *Corynebacterium glutamicum* (Short contribution) 375

Jeong KJ, Park IY, Kim MS, Kim SC: High-level expression of an endoxylanase gene from *Bacillus* sp. in *Bacillus subtilis* DB104 for the production of xylobiose from xylan 113

Kang HA, Kim SJ, Choi E-S, Rhee S-K, Chung BH: Efficient production of intact human parathyroid hormone in a *Saccharomyces cerevisiae* mutant deficient in yeast aspartic protease 3 (YAP3) 187

Kato Y, Asano Y: Cloning, nucleotide sequencing, and expression of the 3-methylaspartate ammonia-lyase gene from *Citrobacter amalonaticus* strain YG-1002 468

Kennes C, Veiga MC, Bhatnagar L: Methanogenic and perchloroethylene-dechlorinating activity of anaerobic granular sludge 484

Kijima N, Goyal D, Takada A, Wachi M, Nagai K: Induction of only limited elongation instead of filamentation by inhibition of cell division in *Corynebacterium glutamicum* 227

Kim WS, Hall RJ, Dunn NW: Improving nisin production by increasing nisin immunity/resistance genes in the producer organism *Lactococcus lactis* (Short contribution) 429

Kitamoto N, Matsui J, Kawai Y, Kato A, Yoshino S, Ohmiya K, Tsukagoshi N: Utilization of the TEF1-α gene (*TEF1*) promoter for expression of polygalacturonase genes, *pgaA* and *pgaB*, in *Aspergillus oryzae* 85

Kitamoto N, Yoshino S, Ito M, Kimura T, Ohmiya K, Tsukagoshi N: Repression of the expression of genes encoding xylanolytic enzymes in *Aspergillus oryzae* by introduction of multiple copies of the *xynF1* promoter 558

Koffas MAG, Ramamoorthi R, Pine WA, Sinskey AJ, Stephanopoulos G: Sequence of the *Corynebacterium glutamicum* pyruvate carboxylase gene 346

Kontula P, Jaskari J, Nollet L, De Smet I, von Wright A, Poutanen K, Mattila-Sandholm T: The colonization of a simulator of the human intestinal microbial ecosystem by a probiotic strain fed on a fermented oat bran product: effects on the gastrointestinal microbiota 246

Kostyál E, Borsányi M, Rigottier-Gois L, Salkinoja-Salonen MS: Organic halogen removal from chlorinated humic ground water and lake water by nitrifying fluidized-bed biomass characterised by electron microscopy and molecular methods 612

Krier F, Revol-Junelles AM, Germain P: Influence of temperature and pH on production of two bacteriocins by *Leuconostoc mesenteroides* subsp. *mesenteroides* FR52 during batch fermentation 359

Kusumoto K-I, Yabe K, Nogata Y, Ohta H: *Aspergillus oryzae* with and without a homolog of aflatoxin biosynthetic gene *ver-1* 98

Lange J, Hammer E, Specht M, Francke W, Schauer F: Biodegradation of biphenyl by the ascomycetous yeast *Debaryomyces vanrijiae* 364

Larsen KL, Christensen HJS, Mathiesen F, Pedersen LH, Zimmermann W: Production of cyclomaltononaose (δ-cyclodextrin) by cyclodextrin glycosyltransferases from *Bacillus* spp. and bacterial isolates (Short contribution) 314

Lebeau T, Jouenne T, Junter G-A: Continuous alcoholic fermentation of glucose/xylose mixtures by co-immobilized *Saccharomyces cerevisiae* and *Candida shehatae* (Short contribution) 309

Liebl W, Brem D, Gotschlich A: Analysis of the gene for β-fructosidase (invertase, inulinase) of the hyperthermophilic bacterium *Thermotoga maritima*, and characterisation of the enzyme expressed in *Escherichia coli* 55

López-Fernández CL, Rodríguez J, Ball AS, Copa-Patiño JL, Pérez-Leblic MI, Arias ME: Application of the affinity binding of xylanases to oat-spelt xylan in the purification of endoxylanase CM-2 from *Streptomyces chottanoogensis* CECT 3336 (Short contribution) 284

Malek W, Inaba M, Ono H, Kaneko Y, Murooka Y: Competition for *Astragalus sinicus* root nodule infection between its native microsymbiont *Rhizobium huakuii* bv. renge B3 and *Rhizobium* sp. ACMP18 strain specific for *Astragalus cicer* (Short contribution) 261

Martín JF: New aspects of genes and enzymes for β-lactam antibiotic biosynthesis 1

McIntyre M, McNeil B: Morphogenetic and biochemical effects of dissolved carbon dioxide on filamentous fungi in submerged cultivation 291

Minetoki T, Kumagai C, Gomi K, Kitamoto K, Takahashi K: Improvement of promoter activity by the introduction of multiple copies of the conserved region III sequence, involved in the efficient expression of *Aspergillus oryzae* amylase-encoding genes 459

Mlobeli NT, Gutierrez NA, Maddox IS: Physiology and kinetics of *Bifidobacterium bifidum* during growth on different sugars 125

Mojovic L, Knezevic Z, Popadic R, Jovanovic S: Immobilization of lipase from *Candida rugosa* on a polymer support 676

Moneke AN, Obi SKC, Bisswanger H: D-Xylose isomerases from a newly isolated strain, *Paenibacillus* sp., and from *Alcaligenes ruhlandii*: isolation, characterization and immobilisation to solid supports 552

Montville TJ, Chen Y: Mechanistic action of pediocin and nisin: recent progress and unresolved questions 511

Morita Y, Hasan Q, Sakaguchi T, Murakami Y, Yokoyama K, Tamiya E: Properties of a cold-active protease from psychrotrophic *Flavobacterium balustinum* P104 669

Mountfield RJ, Hopper DJ: The formation of 1-hydroxymethylnaphthalene and 6-hydroxymethylquinoline by both oxidative and reductive routes in *Cunninghamella elegans* (Short contribution) 379

Mukundan U, Bhide V, Singh G, Curtis WR: pH-mediated release of betalains from transformed root cultures of *Beta vulgaris* L. 241

Mulder H, Breure AM, van Honschooten D, Grotenhuis JTC, van Andel JG, Rulkens WH: Effect of biofilm formation by *Pseudomonas* 8909N on the bioavailability of solid naphthalene 277

Murphy CA, Cameron JA, Huang SJ, Vinopal RT: A second polycaprolactone depolymerase from *Fusarium*, a lipase distinct from cutinase 692

Nagasaka Y, Kurosawa K, Yokota A, Tomita F: Purification and properties of the raw-starch-digesting glucoamylases from *Corticium rolfsii* 323

Nakayama T, Wake H, Ozawa K, Nakamura N, Matsunaga T: Electrochemical prevention of marine biofouling on a novel titanium-nitride-coated plate formed by radio-frequency arc spraying 502

Nakotte S, Schaffer S, Böhringer M, Dürre P: Electroporation of, plasmid isolation from and plasmid conservation in *Clostridium acetobutylicum* DSM 792 (Short contribution) 564

Nawaz MS, Zhang D, Khan AA, Cerniglia CE: Isolation and characterization of *Enterobacter cloacae* capable of metabolizing asparagine 568

Nguyen TH, Fleet GH, Rogers PL: Composition of the cell walls of several yeast species 206

Nimcevic D, Schuster M, Gapes JR: Solvent production by *Clostridium beijerinckii* NRRL B592 growing on different potato media (Short contribution) 426

Oh D-K, Kim S-Y: Increase of xylitol yield by feeding xylose and glucose in *Candida tropicalis* 419

Østergaard S, Theilgaard HBAa, Nielsen J: Identification and purification of *O*-acetyl-L-serine sulphhydrylase in *Penicillium chrysogenum* 663

Palmqvist E, Galbe M, Hahn-Hägerdal B: Evaluation of cell recycling in continuous fermentation of enzymatic hydrolysates of spruce with *Saccharomyces cerevisiae* and on-line monitoring of glucose and ethanol 545

Pampel LWH, Livingston AG: Anaerobic dechlorination of perchloroethene in an extractive membrane bioreactor 303

Park CJ, Lee JH, Hong S-S, Lee H-S, Kim SC: High-level expression of the angiotensin-converting-enzyme-inhibiting peptide, YG-1, as tandem multimers in *Escherichia coli* 71

Pátek M, Hochmannová J, Jelínková M, Nešvera J, Eggeling L: Analysis of the *leuB* gene from *Corynebacterium glutamicum* 42

Phongdara A, Merckelbach A, Keup P, Gellissen G, Hollenberg CP: Cloning and characterization of the gene encoding a repressible acid phosphatase (*PHO1*) from the methylotrophic yeast *Hansenula polymorpha* 77

Piontek M, Hagedorn J, Hollenberg CP, Gellissen G, Strasser AWM: Two novel gene expressionsystems based on the yeasts *Schwanniomyces occidentalis* and *Pichia stipitis* 331

Pörtner R, Märkl H: Dialysis cultures 403

Poirier I, Maréchal P-A, Evrard C, Gervais P: *Escherichia coli* and *Lactobacillus plantarum* responses to osmotic stress 704

Potrawfke T, Löhnert T-H, Timmis KN, Wittich R-M: Mineralization of low-chlorinated biphenyls by *Burkholderia* sp. strain LB400 and by a two-membered consortium upon directed interspecies transfer of chlorocatechol pathway genes 440

Punt PJ, van Gemeren IA, Drint-Kuijvenhoven J, Hessing JGM, van Muijlwijk-Harteveld GM, Beijersbergen A, Verrips CT, van den Hondel CAMJJ: Analysis of the role of the gene *bipA*, encoding the major endoplasmic reticulum chaperone protein in the secretion of homologous and heterologous proteins in black *Aspergilli* 447

Rai R, Taneja V: Production of D-amino acids using immobilized D-hydantoinase from lentil, *Lens esculenta*, seeds (Short contribution) 658

Rupčić J, Mesarić M, Marić V: The influence of carbon source on the level and composition of ceramides of the *Candida lipolytica* yeast 583

Saito K, Yamazaki H, Ohnishi Y, Fujimoto S, Takahashi E, Horinouchi S: Production of trehalose synthase from a basidiomycete, *Grifola frondosa*, in *Escherichia coli* 193

Sánchez S, Bravo V, Castro E, Moya AJ, Camacho F: The production of xylitol from D-xylose by fermentation with *Hansenula polymorpha* (Short contribution) 608

Sandén B, Eng LH, Dalhammar G: An amperometric enzyme-linked immunosensor for *Nitrobacter* 710

Shi N-Q, Jeffries TW: Anaerobic growth and improved fermentation of *Pichia stipitis* bearing a *URA1* gene from *Saccharomyces cerevisiae* 339

Shiba Y, Fukui F, Ichikawa K, Serizawa N, Yoshikawa H: Process development for high-level secretory production of carboxypeptidase Y by *Saccharomyces cerevisiae* 34

Siller H, Winter J: Degradation of cyanide in agroindustrial or industrial wastewater in an acidification reactor or in a single-step methane reactor by bacteria enriched from soil and peels of cassava 384

Simmonds J, Robinson GK: Formation of benzaldehyde by *Pseudomonas putida* ATCC 12633 353

Solaiman DKY, Somkuti GA: Characterization of a novel *Streptococcus thermophilus* rolling-circle plasmid used for vector construction 174

Speelmans G, Bijlsma A, Eggink G: Limonene bioconversion to high concentrations of a single and stable product, perillic acid, by a solvent-resistant *Pseudomonas putida* strain 538

Strauch O, Ehlers R-U: Food signal production of *Photorhabdus luminecens inducing the recovery of entomopathogenic nematodes Heterohabditis* spp. in liquid culture 369

Strous M, Heijnen JJ, Kuenen JG, Jetten MSM: The sequencing batch reactor as a powerful tool for the study of slowly growing anaerobic ammonium-oxidizing microorganisms 589

Ueno K, Shetty K: Prevention of hyperhydricity in oregano shoot cultures is sustained through multiple subcultures by selected polysaccharide-producing soil bacteria without re-inoculation 119

Ujang Z, Vaidya AM: Stepped water activity control for efficient enzymatic interesterification 318

Valadi H, Larsson C, Gustafsson L: Improved ethanol production by glycerol-3-phosphate dehydrogenase mutants of *Saccharomyces cerevisiae* 434

Van Limbergen H, Top EM, Verstraete W: Bioaugmentation in activated sludge: current features and future perspectives 16

Vollbrecht E, Heckmann R, Wray V, Nimtz M, Lang S: Production and structure elucidation of di- and oligosaccharide lipids (biosurfactants) from *Tsukamurella* sp. nov. 530

Wang F, Whitaker RD, Batt CA: Production of glucose isomerase in a recombinant strain of *Streptomyces lividans* 65

Watanabe A, Yano K, Ikebukuro K, Karube I: Cloning and expression of a gene encoding cyanidase from *Pseudomonas stutzeri* AK61 93

Watanabe M, Sasaki K, Nakashimada Y, Kakizono T, Noparatnaraporn N, Nishio N: Growth and flocculation of a marine photosynthetic bacterium *Rhodovulum* sp. 682

Willumsen PA, Karlson U, Pritchard PH: Response of fluor-anthene-degrading bacteria to surfactants 475

Wong HH, Lee SY: Poly-(3-hydroxybutyrate) production from whey by high-density cultivation of recombinant *Escherichia coli* 30